

# CALEDONIA COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME   | CLASS | FOOT NOTE |
|------------|---|-------|-----------|
| 1A         | FRYEBURG SILT LOAM, 0 TO 3 PERCENT SLOPES                   | 6     |           |
| 2A         | LOVEWELL SILT LOAM, 0 TO 2 PERCENT SLOPES                   | 6     |           |
| 3A         | CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES                    | 6     |           |
| 4A         | MEDOMAK MUCKY SILT LOAM, 0 TO 2 PERCENT SLOPES              | 6     |           |
| 6A         | ADAMS LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES                | 1     |           |
| 6B         | ADAMS LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES                | 1     |           |
| 6C         | ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES               | 1     |           |
| 6D         | ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES              | 1     | b         |
| 6E         | ADAMS LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES              | 1     | b         |
| 7B         | SALMON SILT LOAM, 3 TO 8 PERCENT SLOPES                     | 2     |           |
| 7C         | SALMON SILT LOAM, 8 TO 15 PERCENT SLOPES                    | 2     |           |
| 7D         | SALMON SILT LOAM, 15 TO 25 PERCENT SLOPES                   | 2     | b         |
| 7E         | SALMON SILT LOAM, 25 TO 50 PERCENT SLOPES                   | 6     |           |
| 8A         | NICHOLVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES                | 4     |           |
| 8B         | NICHOLVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES                | 4     |           |
| 8C         | NICHOLVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES               | 4     |           |
| 8D         | NICHOLVILLE SILT LOAM, 15 TO 25 PERCENT SLOPES              | 4     | c         |
| 9A         | ROUNABOUT SILT LOAM, 0 TO 5 PERCENT SLOPES                  | 6     |           |
| 10A        | DUXBURY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES              | 1     |           |
| 10B        | DUXBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES              | 1     |           |
| 10C        | DUXBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES             | 1     |           |
| 10D        | DUXBURY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES            | 1     | b         |
| 10E        | DUXBURY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES            | 1     | b         |
| 11A        | MACHIAS FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES              | 4     |           |
| 11B        | MACHIAS FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES              | 4     |           |
| 11C        | MACHIAS FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES             | 4     |           |
| 11D        | MACHAIS FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES            | 4     | c         |
| 12A        | GRANGE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES               | 6     |           |
| 13A        | SEARSPORT MUCK, 0 TO 5 PERCENT SLOPES                       | 6     |           |
| 14B        | VERSHIRE-DUMMERSTON COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY   | 3     | a         |
| 14C        | VERSHIRE-DUMMERSTON COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY  | 3     | a         |
| 14D        | VERSHIRE-DUMMERSTON COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY | 3     | a, c      |

## FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# CALEDONIA COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME  | CLASS | FOOT NOTE |
|------------|--|-------|-----------|
| 14E        | VERSHIRE-DUMMERSTON COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY          | 6     |           |
| 16B        | DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES               | 2     |           |
| 16C        | DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES              | 2     |           |
| 16D        | DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES             | 2     | b         |
| 17B        | DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY   | 2     |           |
| 17C        | DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY  | 2     |           |
| 17D        | DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY | 2     | b         |
| 17E        | DUMMERSTON VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY | 6     |           |
| 20B        | BUCKLAND VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES                 | 4     |           |
| 20C        | BUCKLAND VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES                | 4     |           |
| 20D        | BUCKLAND VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES               | 4     | c         |
| 21B        | BUCKLAND VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY     | 4     |           |
| 21C        | BUCKLAND VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY    | 4     |           |
| 21D        | BUCKLAND VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY   | 4     | c         |
| 21E        | BUCKLAND VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY   | 6     |           |
| 22B        | CABOT LOAM, 0 TO 8 PERCENT SLOPES                                    | 6     |           |
| 22C        | CABOT LOAM, 8 TO 15 PERCENT SLOPES                                   | 6     |           |
| 23B        | CABOT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY                        | 6     |           |
| 23C        | CABOT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY                       | 6     |           |
| 24A        | PEACHAM MUCK, 0 TO 5 PERCENT SLOPES, VERY STONY                      | 6     |           |
| 27A        | LUPTON MUCK, 0 TO 2 PERCENT SLOPES                                   | 6     |           |
| 30A        | ONDAWA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES                        | 6     |           |
| 31A        | PODUNK FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES                        | 6     |           |
| 32A        | COLTON GRAVELLY LOAMY SAND, 0 TO 3 PERCENT SLOPES                    | 1     |           |
| 32B        | COLTON GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES                    | 1     |           |
| 32C        | COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES                   | 1     |           |
| 32D        | COLTON GRAVELLY LOAMY SAND, 15 TO 25 PERCENT SLOPES                  | 1     | b         |
| 32E        | COLTON GRAVELLY LOAMY SAND, 25 TO 60 PERCENT SLOPES                  | 1     | b         |
| 38A        | CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES                       | 4     |           |
| 38B        | CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES                       | 4     |           |
| 40A        | SUNDAY FINE SAND, 0 TO 3 PERCENT SLOPES                              | 6     |           |
| 42A        | RUMNEY VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES                   | 6     |           |

## FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

# CALEDONIA COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME  | CLASS | FOOT NOTE |
|------------|--|-------|-----------|
| 43B        | AU GRES LOAMY SAND, 0 TO 6 PERCENT SLOPES                      | 6     |           |
| 45C        | BUXTON SILT LOAM, 8 TO 15 PERCENT SLOPES                       | 4     |           |
| 45D        | BUXTON SILT LOAM, 15 TO 25 PERCENT SLOPES                      | 4     | c         |
| 45E        | BUXTON SILT LOAM, 25 TO 45 PERCENT SLOPES                      | 6     |           |
| 46A        | LAMOINE SILT LOAM, 0 TO 3 PERCENT SLOPES                       | 4     |           |
| 46B        | LAMOINE SILT LOAM, 3 TO 8 PERCENT SLOPES                       | 4     |           |
| 46C        | LAMOINE SILT LOAM, 8 TO 15 PERCENT SLOPES                      | 4     |           |
| 47A        | SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES                       | 6     |           |
| 48A        | BIDDEFORD MUCKY PEAT, 0 TO 3 PERCENT SLOPES                    | 6     |           |
| 50A        | WONSQUEAK AND MARKEY MUCKS, 0 TO 2 PERCENT SLOPES              | 6     |           |
| 55A        | PEACHAM MUCK, 0 TO 5 PERCENT SLOPES                            | 6     |           |
| 56B        | GLOVER-VERSHIRE COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY     | 5     | a         |
| 56C        | GLOVER-VERSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY    | 5     | a         |
| 56D        | GLOVER-VERSHIRE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY   | 5     | a,c       |
| 56E        | GLOVER-VERSHIRE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY   | 6     |           |
| 58B        | TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY          | 5     | a         |
| 58C        | TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY         | 5     | a         |
| 58D        | TUNBRIDGE-LYMAN COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY        | 5     | a,c       |
| 61B        | TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY     | 5     | a         |
| 61C        | TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY    | 5     | a         |
| 61D        | TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY   | 5     | a,c       |
| 61E        | TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY   | 6     |           |
| 63B        | TUNBRIDGE-BERKSHIRE COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY      | 3     | a         |
| 63C        | TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY     | 3     | a         |
| 63D        | TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY    | 3     | a,c       |
| 64B        | BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES               | 2     |           |
| 64C        | BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES              | 2     |           |
| 64D        | BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES             | 2     | b         |
| 65C        | BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY  | 2     |           |
| 65D        | BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY | 2     | b         |
| 65E        | BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY | 6     |           |
| 72B        | COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES                 | 4     |           |

## FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# CALEDONIA COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME  | CLASS | FOOT NOTE |
|------------|--|-------|-----------|
| 72C        | COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES                        | 4     |           |
| 72D        | COLONEL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES                       | 4     | c         |
| 73B        | COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY             | 4     |           |
| 73C        | COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY            | 4     |           |
| 73D        | COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY           | 4     | c         |
| 74B        | MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES                       | 2     |           |
| 74C        | MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES                      | 2     |           |
| 74D        | MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES                     | 2     | b         |
| 75C        | MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY          | 2     |           |
| 75D        | MONADNOCK FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY         | 2     | b         |
| 75E        | MONADNOCK FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY         | 6     |           |
| 85C        | PERU FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY       | 4     |           |
| 85D        | PERU FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY      | 4     | c         |
| 86B        | CABOT LOAM, 3 TO 8 PERCENT SLOPES, EXTREMELY BOULDERY                  | 6     |           |
| 86C        | CABOT LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY                 | 6     |           |
| 87C        | COLONEL FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY    | 4     |           |
| 92D        | HOGBACK-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY       | 5     | a, c      |
| 92E        | HOGBACK-RAWSONVILLE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY       | 6     |           |
| 99A        | MADAWASKA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES                       | 4     |           |
| 99B        | MADAWASKA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES                       | 4     |           |
| 100        | PITS, SAND AND PITS, GRAVEL  | 7     |           |
| 102        | PITS, QUARRY-DUMPS, MINE COMPLEX                                       | 7     |           |
| 103        | UDORTHENTS LOAMY   | 7     |           |
| 104        | URBAN LAND-UDIPSAMMENTS COMPLEX  | 7     |           |
| 105D       | LYMAN-ROCK OUTCROP COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY        | 6     |           |
| 105E       | LYMAN-ROCK OUTCROP COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY        | 6     |           |
| 105F       | LYMAN-ROCK OUTCROP COMPLEX, 60 TO 90 PERCENT SLOPES, VERY STONY        | 6     |           |
| 159C       | PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES                           | 4     |           |
| 159D       | PERU FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES                          | 4     | c         |
| 160C       | PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY               | 4     |           |
| 160D       | PERU FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY              | 4     | c         |
| 165D       | BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY | 2     | b         |

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# CALEDONIA COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP<br>SYMBOL | MAP UNIT NAME  | CLASS | FOOT<br>NOTE |
|---------------|--|-------|--------------|
| 165E          | BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY | 6     |              |
| 175C          | MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY  | 2     |              |
| 207B          | SALMON-ADAMANT COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY              | 3     | a            |
| 207C          | SALMON-ADAMANT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY             | 3     | a            |
| 207D          | SALMON-ADAMANT COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY            | 3     | a, c         |
| 207E          | SALMON-ADAMANT COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY            | 6     |              |
| 214B          | VERSHIRE-DUMMERSTON COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY         | 3     | a            |
| 214C          | VERSHIRE-DUMMERSTON COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY        | 3     | a            |
| 214D          | VERSHIRE-DUMMERSTON COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY       | 3     | a, c         |
| 214E          | VERSHIRE-DUMMERSTON COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY       | 6     |              |
| 264C          | MONADNOCK-TUNBRIDGE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY             | 3     | a            |
| 264D          | MONADNOCK-TUNBRIDGE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY            | 3     | a, c         |
| W             | WATER, LESS THAN 40 ACRES  | 7     |              |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.